Birth Control Grid

METHOD	EFFECTIVENESS	HOW TO USE IT
Not Having Sex		
IUD		
IMPLANT		
SHOT		
RING		

PATCH	
PILL	
2 3 4 5 6 7 14 13 12 11 10 9 8 15 10 17 18 19 20 21 28 27 26 25 24 23 22	
CONDOM	
INSERTIVE CONDOM	
EMERGENCY CONTRACEPTIVE	
PlanB // One-Step levonorxestrel 1.5 mg	

Appendix G.7: Birth Control

NOT HAVING SEX I.U.D. **IMPLANT SHOT**


VAGINAL RING




PATCH



BIRTH CONTROL PILLS



EMERGENCY CONTRACEPTION









It Depends on the Situation (Group #1)

Scenario 1: Juan and Afia are in high school. They started dating six months ago. They have decided they are ready to start having sex. Both Juan and Afia have had sex in the past with other people.

Scenario 2: Chan and Lilyana just got married. Before they got married they got tested for STIs and HIV. Both of them were negative. They have decided they want to wait for 3 years before they start a family.

Scenario 3: Alex and Casey have been in a relationship for a year. Alex does not want to have sex until marriage, but Casey does not feel as strong about waiting to have sex.

Scenario 4: Josephine and Edgar are in high school. After high school, they both plan to go to college. Last night while they were having sex, they used a condom but they think it broke. Josephine is not on any other type of birth control.

Scenario 5: Ashley and Lorenzo use condoms during sex. They both want to start using a different type of birth control method instead of condoms because Lorenzo says they feel weird. Neither of them are ready for a baby or want an STI.

Scenario 6: Zach and Rosa are 20 years old. They love each other and have been together for over a year. Both of them feel they are ready to start having sex. Rosa told Zach at the beginning of their relationship that she has an STI.

It Depends on the Situation (Group #2)

Scenario 1: Alfonso and Noel are in high school. After high school, they have decided they would like to go to college or get good jobs. They have been dating for six months and are in a healthy, committed relationship. They have decided they are ready to start having sex. Both of them have had sex with other people in the past, but have never been tested for STIs or HIV.

Scenario 2: Gabriella and Nathaniel recently got married. Both have been tested for STIs and HIV. They were both negative. Gabriella just got accepted into college but doesn't want to start a family until she is done. They are looking for a birth control method that will last for three years or more.

Scenario 3: Jamie and Taylor are high school seniors. They have been in a committed relationship for a year now. Both of them feel that this is a long lasting relationship and would like to get married one day. Jamie is committed to waiting to have sex until marriage. Taylor's beliefs on not having sex until marriage are not as strong.

Scenario 4: Chung and Isabelle are in high school. They met at a party a few months ago and have had sex a couple of times since they met. Last night while having sex, the condom broke. Isabelle is not on any type of birth control. They both feel they are not ready to have a baby since they are only in high school. Both of them have also had sex with other people in the last couple of months.

Scenario 5: Giselle and Oscar are in a healthy, committed relationship and live together. Both of them have been tested for STIs and HIV and are negative. While they try to use condoms every time they have sex, sometimes they do not. They would like to find a different birth control method they can use besides condoms.

Scenario 6: Ahmad and Catherine are in love. They have not discussed marriage because they feel they are too young. Recently, they decided they are ready to start having sex. Catherine told Ahmad at the beginning of their relationship that she has an STI.

Session 7 Assessment: Birth Control

Category 1: True/False and Open Ended

Birth Control Questions:

1. What is birth control?

Answer: A method used to prevent pregnancy.

2. What is the 100% effective method to prevent pregnancy and the best way to lower your risk of getting an STI?

Answer: Not having sex (abstinence)

3. List one option for male bodies, all bodies, and female bodies that can be used to prevent pregnancy?

Answer: Male Bodies: Condom

Female Bodies: Pill, Patch, Ring, Shot, Implant, and I.U.D.

All Bodies: Not having sex

Condom Demonstration:

1. Why should you check the wrapper before opening the condom?

Answer: To make sure the condom wrapper is intact (no holes or tears) and that it is not past the expiration date.

2. True/ False: A person should use their teeth to open a condom.

Answer: False

3. True/False: Squeeze the tip (top) of the condom before rolling it down the base of the penis

Answer: True

4. True/False: Condoms can be placed in a toilet after use.

Answer: False- condoms should be placed in the garbage.

Category 2: Tally

Educator or Data Recorder: Begin by reading a question and the three possible answer choices so students can hear all options. Read the question again and as you go through the possible answer choices, have students raise their hand when they hear the option they think is correct and put tally marks in the appropriate boxes.

Topic: Birth Control	True	False	Not Sure
Question 1: True/False: Birth control is a method used to prevent pregnancy.	Pre-Assessment:	Pre-Assessment:	Pre-Assessment:
Answer: True	Post-Assessment:	Post-Assessment:	Post-Assessment:
Topic: Birth Control	Condom	Not having sex	Not Sure
Question 2: The 100% effective method to prevent pregnancy and or lower the	Pre-Assessment:	Pre-Assessment:	Pre-Assessment:
risk of getting an STI is	Post-Assessment:	Post-Assessment:	Post-Assessment:
Answer: Not having sex			
Topic: Condom Demonstration	True	False	Not Sure
Question 1: True/False: Before using a condom, you should check for holes and	Pre-Assessment:	Pre-Assessment:	Pre-Assessment:
the expiration date.	Post-Assessment:	Post-Assessment:	Post-Assessment:
Answer: True			
Topic: Condom Demonstration	True	False	Not Sure
Question 2: True/False: A person should use their teeth to open a condom.	Pre-Assessment:	Pre-Assessment:	Pre-Assessment:
ceed to open a condom	Post-Assessment:	Post-Assessment:	Post-Assessment:
Answer: False			

Topic: Condom	True	False	Not Sure
Demonstration			
	Pre-Assessment:	Pre-Assessment:	Pre-Assessment:
Question 3: True/False:			
Condoms can be placed in a			
toilet after use.			
	Post-Assessment:	Post-Assessment:	Post-Assessment:
Answer: False			

Category 3: Icon Selection

- Option 1: Place the options on the board and label them 1-3. Have the students hold up 1, 2, or 3 fingers to represent the answer they chose.
- Option 2: Print out answer cards before assessment. Place the cards in front of the students and have them point to the correct answer.

Birth Control Questions:

1. True/False: Birth control is a method used to prevent pregnancy.

Answer: True

2. The 100% method used to prevent pregnancy and or lower the risk of getting an STI is...

Answer: Not having sex

Condom Demonstration:

1. True/ False: Before using a condom, you should check for holes and the expiration date.

Answer: True

2. True/False: A person should use their teeth to open a condom.

Answer: False

3. True/False: Condom can be placed in a toilet after use.

Answer: False

Row True False Not sure

Row No Sex (Abstinence)

(Abstinence)

(Abstinence)